


DAL20054.2 - LAVORI DI RIFACIMENTO COLLETTORI
FOGNARI IN LOCALITA' TETTO MECCI, TETTO COREA,
PANICE E LIMONETTO A SEGUITO DEGLI EVENTI
ALLUVIONALI DEL 2-3 OTTOBRE 2020 -
CN_A16_710_20_119 - CUP: J75B20000240007

Committente:



Sede Legale: Corso Nizza, 88 - 12100 - Cuneo
Tel. 800.194.065 - fax 0171.326710
Partita IVA: 02468770041
Capitale sociale € 5.000.000
e-mail: acda@acda.it

Responsabile Unico del Procedimento (Ordine Ingegneri di Cuneo n. A/1886)	Dott. Ing. Fabio Monaco
---	-------------------------

REV.	Descrizione:	DATA:	Redatto da:	Verificato da:	Approvato da:
00	Emissione per consegna P.D.	19/04/2023	Ing. F. Giraudo	F. Giraudo/F. Ghio	Ing. F. Monaco

NUOVA CONDOTTA IN PVC
 (SN16, diam. 250 mm)

NUOVA CONDOTTA IN PVC
 (SN16, diam. 250 mm)

NUOVO POZZETTO
 D'ISPEZIONE MONOLITICO
 IN CLS (diam. interno 100 cm)

The drawing shows a plan view of a drainage system. A central manhole (Pozzetto) is labeled with a diameter of 100 cm. Two new PVC pipes (Condotta) are shown, each with a diameter of 250 mm and a stiffness of SN16. The pipes are connected to the manhole. Dimensions include a 1.27 m distance from the manhole to one pipe and a 1.78 m distance to another. A 0.200 m dimension is also indicated.

